



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/549,532	09/15/2005	Uwe Horn	P17321-US1	3807

27045 7590 02/18/2010  
ERICSSON INC.  
6300 LEGACY DRIVE  
M/S EVR 1-C-11  
PLANO, TX 75024

EXAMINER
----------

AMPAGOOMIAN, DAVID S

ART UNIT	PAPER NUMBER
----------	--------------

2446

MAIL DATE	DELIVERY MODE
-----------	---------------

02/18/2010

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/549,532	<b>Applicant(s)</b> HORN ET AL.	
	<b>Examiner</b> DAVID AMPAGOOMIAN	<b>Art Unit</b> 2446	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 02 March 2007.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-41 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-41 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 September 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>10/14/2008, 09/15/2005</u> .                                  | 6) <input type="checkbox"/> Other: _____                          |

### DETAILED ACTION

Claims 1-20, 24-41 are pending

Claims 21-23 are canceled

Claims 1 and 20 are independent

### ***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. **Claims 1-16, 18, 20- 38, 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yano et al. (US 6,701,372) hereafter Yano in view of Jain et al. ("End-to-End Available Bandwidth: Measurement Methodology, Dynamics, and Relation with TCP Throughput") hereafter Jain.**

Regarding claim 1, Yano disclose a method for obtaining information about a transmission capability of a transmission link (TL), wherein a sending entity (SE) sends data packets at a sending rate to the transmission link (TL) which transmits the data packets according to its transmission capability to a receiving entity (RE) receiving the data packets at a receiving rate (Yano: Col. 3, lines 37-44; Col. 3, lines 14-21 ), characterized in that the sending rate is modulated with a rate modulation (Yano: Col. 4,

Art Unit: 2446

lines 46-63) and the following steps are executed by an analysis entity (AE) (Yano: Col. 3, line 2 - Col. 4, line 19; Fig. 1)

- obtaining the sending rate (Yano: Col. 3, lines 14-21 ; block labeled s202 “transit data at designated rate” Fig. 2 ),

- obtaining the receiving rate ( “The receiver report generator 1-23 calculates the reception rate that must be included in the receiver report,” Yano: Col. 3, lines 37-44; “reception rate” Fig 5),

- comparing the obtained sending rate and the obtained receiving rate (Yano: Col. 5 , lines 13-25; Fig. 6 “a new transmission rate is determined with reference to the current transmission rate” Yano: Col. 6, lines 45-46) and to determine an appearance of the rate modulation of the sending rate in the obtained receiving rate (Col. 6, lines 58-65; Fig. 6, Fig. 17 ), and

- obtaining the information about the determined appearance of the rate modulation (Yano: Col. 6, lines 58-65; Fig. 6, Fig. 17).

Yano does not explicitly disclose comparing to determine a relation of the obtained sending rate and the obtained receiving rate and the information about transmissions capabilities based on the determined relation.

However Jain discloses comparing a receiving rate and sending rate to determine a relation (Jain: page 297 upper left column) and obtaining the information about the transmission capability based on the determined relation (Avail-Bw detection and measurement. Jain: page 297 upper left column). Jain discloses iteratively

Art Unit: 2446

changing transmission rates (Jain: section 3.2, page 298) in order to obtain information about a transmission capabilities (Jain: section 1. Introduction, page 295).

It would have been obvious to one of ordinary skill in the art at the time of the invention create the sending and receiving rate measurement and modulation method of Yano to include the use of comparing a receiving and a sending rate as taught by Jain in order to obtain information about transmission capabilities of a system.

Regarding claim 2, the modified Yano reference discloses the method according to claim 1 as described above. Yano further discloses wherein the obtained information about the transmission capability **is at least one** of information about a transmission rate of the transmission link, information about a relationship of the transmission rate versus the sending rate and information about a status of a buffer of the transmission link (Yano: Col. 3, lines 37-44; Col. 3, lines 14-21).

Regarding claim 3, the modified Yano reference discloses the method according to claim 1 as described above. Yano does not explicitly disclose wherein the obtained sending rate is separated into a fraction having the rate modulation and a fraction having not the rate modulation and the obtained receiving rate is separated into a fraction having the rate modulation and a fraction having not the rate modulation and the fraction of the sending rate having not tile rate modulation is compared to the fraction of the receiving rate having not the rate modulation to determine the relation and the fraction of the receiving rate having the rate modulation is analyzed for the

Art Unit: 2446

determining of the appearance of the rate modulation. However Jain discloses iteratively changing transmission rates of packet pairs and comparing a sending and receiving rate fraction (Jain: Section 3.2, page 298) in order to determine transmission capabilities of a system (Jain: section 1. Introduction, page 295) .

It would have been obvious to one of ordinary skill in the art at the time of the invention create the sending and receiving rate measurement and modulation method of Yano to include the use rate modulation and comparing a receiving and a sending rate as taught by Jain in order to obtain information about transmission capabilities of a system.

Regarding claim 4, the modified Yano reference discloses the method according to claim 1 as described above. Yano does not explicitly disclose, wherein the obtained sending rate and the obtained receiving rate are subtracted and the subtracted signal is analyzed to determine the relation and the appearance of the rate modulation. However Jain discloses subtracting transmission rates (Jain: Section 3.2, page 298) in order to analyzer transmission capabilities (Jain: section 1. Introduction, page 295).

It would have been obvious to one of ordinary skill in the art at the time of the invention create the sending and receiving rate measurement and modulation method of Yano to include the use rate modulation and subtracting rates to determine as taught by Jain in order to obtain information about transmission capabilities of a system.

Art Unit: 2446

Regarding claim 5, the modified Yano reference discloses the method according to claim 1 as described above. Yano further discloses wherein the data packets are sent from the sending entity to the receiving entity end-to-end on a first layer (Yano: Col. 10, lines 26-34) and the transmission capability of the transmission link is defined by a second layer being a non end-to-end layer below the first layer and at least one of the sending rate (Yano: Col. 10, lines 26-34) and the receiving rate are obtained based on information from the first layer or one or more end-to-end layers above the first layer (Yano: Col. 10, lines 26-50).

Regarding claim 6, the modified Yano reference discloses the method according to claim 1 as described above. Yano further discloses wherein the sending rate and the receiving rate are obtained (Yano: Col. 3, lines 37-44; Col. 3, lines 14-21) and compared on the base of sequence numbers associated to the data packets and/or over time (Yano: Col. 3, line 14-Col. 4, lines 26 ).

Regarding claim 7, the modified Yano reference discloses the method according to claim 1 as described above. Yano further discloses, wherein at least one of the sending rate and the receiving rate are communicated to the analysis entity (Yano: Col. 3, line 14-Col. 4, lines 26; Fig. 1.)

Regarding claim 8, the modified Yano reference discloses the method according to claim 1, as described above. Yano further discloses wherein

Art Unit: 2446

the analysis entity obtains receiving rate related information on the base of sequence numbers by receiving receiver reports from the receiving entity (Yano: Col. 3, line 14-Col. 4, lines 26; Fig. 4-5, 10-11), each receiver report being received at a receiving time at the analysis entity which determines for each receiver report the respective receiving time (Yano: Col. 3, line 14-Col. 4, lines 26; Fig. 11 ) and a respective included sequence number, each included sequence number indicating the most progressed of the sequence numbers available at the time of the generation of the respective receiver report at receiving entity (Yano: Col. 3, line 14-Col. 4, lines 26; Fig. 11 ), and the analysis entity calculates the obtained receiving rate on the base of the receiving rate related information (Yano: Col. 3, line 14-Col. 4, lines 26; Fig. 11 ).

Regarding claim 9, the modified Yano reference discloses the method according to claim 8 as described above. Yano further discloses wherein the receiver reports are generated and sent from the receiving entity according to a rule and the rate modulation of the sending rate is adjusted to the rule (Yano: Col. 3, line 14-Col. 4, lines 50; Fig. 1).

Regarding claim 10, the modified Yano reference discloses the method according to claim 8 as described above. Yano further discloses wherein the receiver reports comply with the Real-Time protocol Control part Protocol (RTCP) (Yano: Col. 2, lines 35-37).



Regarding claim 11, the modified Yano reference discloses the method according to claim 1, wherein the data packets comply with the Real-Time Protocol (RTP) (Yano: Col. 10, lines 26-50).

Regarding claim 12, the modified Yano reference discloses the method according to claim 1 as described above., wherein the sending rate is adjusted to at least one of pre-known information about one or more possible transmission capabilities of the transmission link and the obtained information about the transmission capability (Yano: Col. 3, line 14-Col. 4, lines 50).

Regarding claim 13, the modified Yano reference discloses the method according to claim 1 as described above. Yano further discloses wherein the transmission capability is adjusted based on the obtained information about the transmission capability (Yano: Col. 3, line 14-Col. 4, lines 50).

Regarding claim 14, the modified Yano reference discloses the method according to claim 1 as described a above. Yano further discloses wherein the sending entity receives the data packets at one or more further sending rates from a further sending entity (Yano: Col. 3, line 14-Col. 4, lines 50), and, based on the obtained information about the transmission capability (Yano: Col. 3, line 14-Col. 4, lines 50), the sending entity is instructed to send the data packets to the transmission link at a new

Art Unit: 2446

sending rate according to one of the one or more further sending rates (Yano: Col. 3, line 14-Col. 4, lines 50).

Regarding claim 15, the modified Yano reference discloses the method according to claim 14 as described above. Yano further discloses, wherein the one or more further sending rates are not modulated with the rate modulation and the sending entity effects the rate modulation of the new sending rate (Yano: Col. 3, line 14-Col. 4, lines 50).

Regarding claim 16, the modified Yano reference discloses the method according to claim 1 as described above. Yano further discloses, wherein the analysis entity and the sending entity are located on a streaming server (Yano: Col. 3, line 14-Col. 4, lines 50; Fig. 1).

Regarding claim 18, the modified Yano reference discloses the method according to claim 1, wherein the analysis entity is located at the receiving entity (Yano: Col. 3, line 14-Col. 4, lines 50; Fig. 1).

Regarding claim 20, Yano disclose an analysis entity (AE) for obtaining a transmission capability of a transmission link (TL) in a communication system where in data packets are sent from a sending entity (SE) at a sending rate being modulated with a rate modulation to the transmission link (TL) which transmits the data packets

Art Unit: 2446

according to its transmission capability to a receiving entity (RE) receiving the data packets at a receiving rate (Yano: Col. 3, lines 37-44; Col. 3, lines 14-21 ), the analysis entity (AE) comprising

a receiving unit for receiving messages and information, a processing unit for processing messages and information, and a transmission unit for sending messages and information (Yano: Col. 3, lines 37-44; Col. 3, lines 14-21; Fig. 1 ),

wherein the processing unit is adapted to obtain the sending rate ( ) and obtain the receiving rate (Yano: Col. 3, lines 14-21 ; block labeled s202 “transit data at designated rate” Fig. 2; “The receiver report generator 1-23 calculates the reception rate that must be included in the receiver report,” Yano: Col. 3, lines 37-44; “reception rate” Fig 5), , and

to compare the obtained sending rate and the obtained receiving rate (Yano: Col. 5 , lines 13-25; Fig. 6 “a new transmission rate is determined with reference to the current transmission rate” Yano: Col. 6, lines 45-46) to determine an appearance of the rate modulation of the sending rate in the obtained receiving rate (Col. 6, lines 58-65; Fig. 6, Fig. 17 ), and

to obtain the information about the appearance of the rate modulation (Yano: Col. 6, lines 58-65; Fig. 6, Fig. 17)..

Yano does not explicitly disclose to determine a relation of the obtained sending rate and the obtained receiving rate and the information about transmission capability based on the relation.

Art Unit: 2446

However Jain discloses comparing a receiving rate and sending rate to determine a relation (Jain: page 297 upper left column) and obtaining the information about the transmission capability based on the determined relation (Avail-Bw detection and measurement. Jain: page 297 upper left column). Jain discloses iteratively changing transmission rates (Jain: section 3.2, page 298) in order to obtain information about a transmission capabilities (Jain: section 1. Introduction, page 295).

It would have been obvious to one of ordinary skill in the art at the time of the invention create the sending and receiving rate measurement and modulation method of Yano to include the use of comparing a receiving and a sending rate as taught by Jain in order to obtain information about transmission capabilities of a system.

Regarding claim 24, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano further discloses wherein the obtained information about the transmission capability **is at least one** of information about a transmission rate of the transmission link, information about a relationship of the transmission rate versus the sending rate, and information about a status of a buffer of the transmission link (Yano: Col. 3, lines 37-44; Col. 3, lines 14-21)..

Regarding claim 25, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano does not explicitly disclose, wherein the obtained sending rate is separated into a fraction having the rate modulation and a fraction having not the rate modulation and the obtained receiving rate is separated into

Art Unit: 2446

a fraction having the rate modulation and a fraction having not the rate modulation and the fraction of the sending rate having not the rate modulation is compared to the fraction of the receiving rate having not the rate modulation to determine the relation and the fraction of the receiving rate having the rate modulation is analyzed for the determining of the appearance of the rate modulation.

However Jain discloses iteratively changing transmission rates of packet pairs and comparing a sending and receiving rate fraction (Jain: section 3.2, page 298) in order to determine transmission capabilities of a system (Jain: section 1. Introduction, page 295).

It would have been obvious to one of ordinary skill in the art at the time of the invention create the sending and receiving rate measurement and modulation method of Yano to include the use rate modulation and comparing a receiving and a sending rate as taught by Jain in order to obtain information about transmission capabilities of a system.

Regarding claim 26, the modified Yano reference discloses the method according to claim 20 as described above. Yano does not explicitly disclose, wherein the obtained sending rate and the obtained receiving rate are subtracted and the subtracted signal is analyzed to determine the relation and the appearance of the rate modulation. However Jain discloses subtracting transmission rates (Jain: top right column page 47) in order to analyze transmission capabilities (Jain: section 1.1, page 46).

Art Unit: 2446

It would have been obvious to one of ordinary skill in the art at the time of the invention create the sending and receiving rate measurement and modulation method of Yano to include the use rate modulation and subtracting rates to determine as taught by Jain in order to obtain information about transmission capabilities of a system.

Regarding claim 27, the modified Yano reference discloses the method according to claim 20 as described above. Yano further discloses wherein the data packets are sent from the sending entity to the receiving entity end-to-end on a first layer and the transmission capability of the transmission link is defined by a second layer being a non end-to-end layer below the first layer (Yano: Col. 10, lines 26-34) and at least one of the sending rate and the receiving rate are obtained based on information from the first layer or one or more end-to-end layers above the first layer (Yano: Col. 10, lines 26-50).

Regarding claim 28, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano further discloses, wherein the sending rate and the receiving rate are obtained (Yano: Col. 3, lines 37-44; Col. 3, lines 14-21) and compared on the base of sequence numbers associated to the data packets and/or over time (Yano: Col. 3, line 14-Col. 4, lines 26).

Regarding claim 29, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano further discloses wherein at least one

Art Unit: 2446

of the sending rate and the receiving rate are communicated to the analysis entity Yano: Col. 3, line 14-Col. 4, lines 26; Fig. 1.).

Regarding claim 30, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano further discloses, wherein the analysis entity further comprises means for obtaining receiving rate related information on the base of sequence numbers by receiving receiver reports from the receiving entity (Yano: Col. 3, line 14-Col. 4, lines 26; Fig. 4-5, 10-11),

each receiver report being received at a receiving time at the analysis entity which determines for each receiver report the respective receiving time and a respective included sequence number (Yano: Col. 3, line 14-Col. 4, lines 26; Fig. 11 ),

each included sequence number indicating the most progressed of the sequence numbers available at the time of the generation of the respective receiver report at receiving entity (Yano: Col. 3, line 14-Col. 4, lines 26; Fig. 11 ), and

the analysis entity calculates the obtained receiving rate on the base of the receiving rate related information (Yano: Col. 3, line 14-Col. 4, lines 26; Fig. 11 ).

Regarding claim 31, the modified Yano reference discloses analysis entity according to claim 20 as described above. Yano further discloses, wherein the receiver reports are generated and sent from the receiving entity according to a rule and the rate modulation of the sending rate is adjusted to the rule (Yano: Col. 3, line 14-Col. 4, lines 50; Fig. 1).

Regarding claim 32, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano further discloses, wherein the receiver reports comply with the Real-Time protocol Control part Protocol (RTCP) (Yano: Col. 2, lines 35-37).

Regarding claim 33, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano further discloses, wherein the data packets comply with the Real-Time Protocol (RTP) (Yano: Col. 10, lines 26-50).

Regarding claim 34, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano, further comprising means for adjusting to at least one of pre-known information about one or more possible transmission capabilities of the transmission link and the obtained information about the transmission capability (Yano: Col. 3, line 14-Col. 4, lines 50).

Regarding claim 35, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano, further comprising means for adjusting the transmission capability based on the obtained information about the transmission capability (Yano: Col. 3, line 14-Col. 4, lines 50).



Art Unit: 2446

Regarding claim 36, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano further discloses, wherein the sending entity receives the data packets at one or more further sending rates from a further sending entity (Yano: Col. 3, line 14-Col. 4, lines 50), and, based on the obtained information about the transmission capability (Yano: Col. 3, line 14-Col. 4, lines 50), the sending entity is instructed to send the data packets to the transmission link at a new sending rate according to one of the one or more further sending rates (Yano: Col. 3, line 14-Col. 4, lines 50).

Regarding claim 37, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano further discloses wherein the one or more further sending rates are not modulated with the rate modulation and the sending entity effects the rate modulation of the new sending rate (Yano: Col. 3, line 14-Col. 4, lines 50).

Regarding claim 38, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano further discloses, wherein the analysis entity and the sending entity are located on a streaming server (Yano: Col. 3, line 14-Col. 4, lines 50; Fig. 1).

Regarding claim 40, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano, wherein the analysis entity is located at the receiving entity. (Yano: Col. 3, line 14-Col. 4, lines 50; Fig. 1).

**Claims 17, 19, 39 and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yano et al. (US 6,701,372) in view of Jain et al. ("End-to-End Available Bandwidth: Measurement Methodology, Dynamics, and Relation with TCP Throughput") as applied to claims 1 and 14 above, and further in view of Anandakumar et al. (US 2004/0252701).**

Regarding claim 17, the modified Yano reference discloses the method according to claim 14 as described above. Yano does not explicitly disclose wherein the analysis entity and the sending entity are located on a proxy server and the further sending entity is located on a streaming server. However Anandakumar discloses a method of measuring and analyzing transmission rates and capabilities and discloses the use of proxies (Anandakumar: [0381], [0018], [0036] )in order to adapt transmissions (Anandakumar: [0018]).

It would have been obvious to one of ordinary skill in the art at the time of the invention create the sending and receiving rate measurement and modulation and comparing a receiving and a sending rate method of the modified Yano to include the use of proxies as taught by Anandakumar in order in order to adapt transmissions (Anandakumar: [0018]).

Regarding claim 19, the modified Yano reference discloses the method according to claim 1 as described above. Yano does not explicitly disclose , wherein the transmission link comprises a wireless link of a mobile communication network.

However Anandakumar discloses a method of measuring and analyzing transmission rates and capabilities and discloses the use of mobile devices (Anandakumar: [0324], [0018], [0036] )in order to adapt transmissions (Anandakumar: [0018]).

It would have been obvious to one of ordinary skill in the art at the time of the invention create the sending and receiving rate measurement and modulation and comparing a receiving and a sending rate method of the modified Yano to include the use of mobile device as taught by Anandakumar in order in order to adapt transmissions (Anandakumar: [0018]).

Regarding claim 39, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano does not explicitly disclose, wherein the analysis entity and the sending entity are located on a proxy server and the further sending entity is located on a streaming server.

However Anandakumar discloses a method of measuring and analyzing transmission rates and capabilities and discloses the use of proxies (Anandakumar: [0381], [0018], [0036] )in order to adapt transmissions (Anandakumar: [0018]).

Art Unit: 2446

It would have been obvious to one of ordinary skill in the art at the time of the invention create the sending and receiving rate measurement and modulation and comparing a receiving and a sending rate method of the modified Yano to include the use of proxies as taught by Anandakumar in order in order to adapt transmissions (Anandakumar: [0018]).

Regarding claim 41, the modified Yano reference discloses the analysis entity according to claim 20 as described above. Yano does not explicitly disclose, wherein the transmission link comprises a wireless link of a mobile communication network.

However Anandakumar discloses a method of measuring and analyzing transmission rates and capabilities and discloses the use of mobile devices (Anandakumar: [0324], [0018], [0036] )in order to adapt transmissions (Anandakumar: [0018]).

It would have been obvious to one of ordinary skill in the art at the time of the invention create the sending and receiving rate measurement and modulation and comparing a receiving and a sending rate method of the modified Yano to include the use of mobile device as taught by Anandakumar in order in order to adapt transmissions (Anandakumar: [0018]).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID AMPAGOOMIAN whose telephone number is

Art Unit: 2446

(571)270-1896. The examiner can normally be reached on Monday through Friday 9:30 AM to 7:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Pwu can be reached on 571-272-6798. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/D. A./

Examiner, Art Unit 2446

/Benjamin R Bruckart/

Primary Examiner, Art Unit 2446